

UY 10W Series

USB AC/DC Adaptor USB-A



▲ UY313



▲ UYK313



▲ UYA313



▲ UYZ313



▲ UYE313



Please contact our sales department for safety standard of each model.



Safety Certificate



Reliability Guarantee



Energy Saving




ROHS 2



LPS



EMC



Charging



Miniaturization

Product Highlights

- Stability
- Ultra Small Size
- Light Weight
- Energy Efficiency
- Suit MP3 Player, Mobile Phone, Portable GPS Device, PDA

Protection

- Short Circuit Protection
- Over Voltage Protection
- Over Current Protection

Safety Standard

- 60950-1
- 62368-1
- CNS14336
- PSE 別表第八
100V 基準に準拠

Efficiency

- Energy Efficiency Level VI(ErP/DoE)
- Meet COMMISSION REGULATION(EU) 2019/1782
- Meet DOE 10 CFR part 429 and 430

Emissions

- FCC Part15 Class B
- CE CISPR 32 EN55032
- VCCI Class B
- CNS13438
- BS EN 55032

Immunity

- EN 55035
- BS EN 55035

Electrical Spec

Input					
Description	Min.	Typ.	Max.	Units	Comment
Voltage	90	100~240	264	Vac	
Frequency	47	50/60	63	Hz	

Environmental					
Description	Min.	Typ.	Max.	Units	Comment
Operating Temperature	0	-	40	°C	Free Convection,Sea Level
Storage Temperature	-20	-	65	°C	Free Convection,Sea Level
Operating Humidity	5	-	95	%RH	No Condensing
Storage Humidity	5	-	95	%RH	No Condensing

Typical model list

Output Condition	DC Output Voltage	DC Output Current	Output Voltage Precision	Ripple	Noise	Average Active Efficiency	No-Load Power Consumption	Option/Remark
USB-A	5.0V	1.5A	±5%	100mV	200mV	76.65%	0.1W	
	5.0V	2.0A	±5%	100mV	200mV	78.70%	0.1W	
	5.3V	1.5A	±5%	100mV	200mV	79.04%	0.1W	

■ Measurement Condition

1. Measurements shall be made with an oscilloscope with 20MHz bandwidth.
2. Outputs shall be bypassed at the connector with a 0.1uF ceramic disk capacitor and a 10uF electrolytic capacitor to simulate system loading.

Mechanical Spec

UY313 Series	UYK313 Series

Mechanical Spec

UYA313 Series	UYZ313 Series
<p>Mechanical drawings of the UYA313 Series USB AC/DC Adaptor. The drawings include a front view, a side view, and a top view. Dimensions are provided: 59.00 (width), 40.0 (height), and 46.6 (depth).</p>	<p>Mechanical drawings of the UYZ313 Series USB AC/DC Adaptor. The drawings include a front view, a side view, and a top view. Dimensions are provided: 59.00 (width), 28.00 (height), and 37.60 (depth).</p>
UYE313 Series	
<p>Mechanical drawings of the UYE313 Series USB AC/DC Adaptor. The drawings include a front view, a side view, and a top view. Dimensions are provided: 59.00 (width), 28.00 (height), and 55.80 (depth).</p>	

the following blank

■ Please contact our sales department for details of each model ■