






# WATERPROOF CONNECTORS

- **IP67 M8 FEMALE SOCKETS**
- **3.4. PINS**
- **PANEL MOUNT**
- **WP0803JPF**
- **WP0804JPF**







No.	Description	Material	Treat	Q'ty
1	Housing	Thermoplastic	UL94V-0 Black	1
2	Shield Cover	Brass	Nickel Ptd.	1
3	Sealed Ring	NBR		1
4	Screw Nut	Brass	Nickel Ptd.	1
5	O-Ring	NBR		1
6	Terminals	Brass	Gold Ptd.	3

俞昌有限公司  
YEU TSANG CO. LTD.

品名: 3P M8 WATER TIGHT SOCKET  
ITEM: PANEL FRONT MOUNT  
料號: WP0803JPF  
PART NO.  
圖號:  
DRW NO.



一般公差  
.X +/-0.25  
.XX +/-0.10








單位: mm  
unit:

日期: '08/03/26  
date:

版本: V. 1.0  
version:

繪圖: DanielShyr  
drwn by:

核准: SkyShyr  
aprVld by:



No.	Description	Material	Treat	Q'ty
1	Housing	Thermoplastic	UL94V-0 Black	1
2	Shield Cover	Brass	Nickel Ptd.	1
3	Screw Nut	Brass	Nickel Ptd.	1
4	Sealed Ring	NBR	Black	1
5	O-Ring	NBR	Black	1
6	Terminals	Brass	Gold Ptd.	4

**SPECIFICATION :**  
**CURRENT : 2A**  
**OPERATING TEMPERATURE : -20°C TO 105°C**  
**INSULATION RESISTANCE : 1000MΩ min.**  
**DIELECTRIC STRENGTH : 500V AC min.**

<b>俞昌有限公司</b> <b>YEU TSANG CO. LTD.</b>	品名: ITEM :	<b>4P M8 WATER TIGHT SOCKET PANEL FRONT MOUNT</b>			一般公差	SHEET:	單位: unit:	mm	日期: date:	'08/03/26	繪圖: drwn by:	DanielShyr
	料號: PART NO.	WP0804JPF	圖號: DRW NO.			.X +/-0.25 .XX +/-0.10		比例: scale:	2 : 1	版本: version:	V. 1.0	核准: aprld by: